

## NP300 Specification

### SC 4x2

#### DRIVE TRAIN

2WD , 5 speed gearbox  
Limited Slip Differential

#### COMFORT AND CONVENIENCE

Tilt adjustable steering  
Power steering  
Front electric windows with one-touch  
Stick handbrake  
Stereo CD radio  
2 speakers

#### EXTERIOR

Black grille  
14" steel wheels  
Rear window grill  
External lashing hooks  
Two handle tailgate opening

#### INTERIOR

Cloth seat trim  
Front bench seat (seats 3)  
Vinyl floor covering

#### SAFETY AND SECURITY

ABS  
Driver and passenger airbags  
2 x 3 point belts, 1 lap belt  
NATS immobiliser  
Keyless entry

#### OPTIONS

COMFORT PACK  
Manual Air Conditioning  
Power and heated mirrors

### SC 4x4 (as SC 4x2 plus)

#### DRIVE TRAIN

Selectable 4WD with dual ratio gearbox (5sp)

#### EXTERIOR

Black wheel arch extensions  
Front and rear mudguards  
16" steel wheels  
Front fog lamps

#### OPTIONS

COMFORT PACK  
Manual Air Conditioning  
Power and heated mirrors

### KC 4x4 (as SC 4x4 plus)

#### COMFORT AND CONVENIENCE

Heated rear window  
Conventional handbrake

#### EXTERIOR

Extended cab with opening rear side windows  
Smooth outer cargo bed with internal lashing hooks  
Delete rear window grill

#### INTERIOR

Individual front seats (x2)  
Carpeted floor  
Centre console with lid

#### OPTIONS

COMFORT PACK  
Manual Air Conditioning  
Power and heated mirrors

REAR STEP BUMPER

### DC 4x4 (as DC 4x4 plus)

#### COMFORT AND CONVENIENCE

Rear electric windows

#### EXTERIOR

Extended cab with rear passenger doors

#### INTERIOR

Rear bench seat with 3-point rear seatbelts (x2)  
Centre lap belt (rear)  
Vinyl floor covering  
Rear head restraints (x2)

#### OPTIONS

COMFORT PACK  
Manual Air Conditioning  
Power and heated mirrors

**Service interval:**

18,000 miles or one year, whichever comes first.

# NP300 TECHNICAL SPECIFICATION

	AXLE		2WD	4WD	4WD	4WD	
	BODY TYPE		S/CAB	S/CAB	K/CAB	D/CAB	
	ENG		YD25	YD25	YD25	YD25	
	T/M		5MT	5MT	5MT	5MT	
<b>DIMENSIONS</b>	Overall Length (mm)	Standard vehicle		5020	5020	5045	5045
	Width (mm)			1690	1825	1825	1825
	Height (mm)	With 195R14C tyre		1610	-	-	-
		With 205R16 tyre		-	1700	1700	1715
	Wheelbase (mm)			2950	2950	2950	2950
	Track (mm)	Front		1395	1525	1525	1525
		Rear		1390	1505	1505	1505
	Overhang (mm)	Front		920	920	920	920
		Rear	Standard vehicle	1150	1150	1175	1175
			Step bumper	-	-	1310	-
	Min. ground clearance (with STD tyre) (mm)			180	230	230	230
	Load bed height from ground (with STD tyre) (mm)			710	805	810	800
	Rear Load Bed (mm)	LENGTH		2235	2235	1865	1485
WIDTH		1465	1465	1390	1390		
HEIGHT		430	430	435	435		
<b>WEIGHT</b>	Kerb Weight	Front	895	1050	1055	1060	
		Rear	615	675	690	720	
			(kg)	1510	1725	1745	1780
	Payload (kg)			1120	1135	1115	1080
	GVW (kg)			2630	2860	2860	2860
	Axle weight (kg)	Front		1160	1380	1380	1380
Rear		1700	1800	1800	1800		
<b>TOWING CAPACITY</b>		Braked trailer	2000	2800	3000	3000	
		Unbraked trailer	750	750	750	750	
<b>PERFORMANCE</b>	Turning circle (m)	(kerb to kerb)	11.2	12.0	12.0	12.0	
		(wall to wall)	12.2	12.8	12.8	12.8	
	Angle of approach (with STD tyre) (A/A)			27°	31°	31°	31°
	Angle of ramp (with STD tyre) (R/A)			20°	25°	25°	25°
	Angle of departure (with STD tyre) (D/A)	Standard vehicle		28°	31°	31°	31°
With Step bumper				22°			
<b>FUEL TANK</b>	(Litre)		75	75	75	75	
<b>TYRE</b>		TYRE	STD	195R14	205R16	205R16	205R16
		WHEEL	STD	5-J-14(SILVER)	6-J-16(SILVER)	6-J-16(SILVER)	6-J-16(SILVER)

Contents			4x2	4x4
<b>Engine</b>	Type		YD25DDTi	
	Displacement (cc)		2488	
	Max. Power KW/rpm (PS/rpm)		98 / 3600 (133 / 3600)	
	Max. Torque Nm/rpm		304 / 2000	
	Compression ratio		18.0	
	Fuel system		Common rail	
<b>Power train</b>	Clutch type		C250S	
	Transmission	Type	FS5R30A	
		Ratio	1st	3.580
	2nd		2.078	
	3rd		1.361	
	4th		1.000	
	5th		0.760	
	Reverse		3.636	
	Transfer Type		TX10 (4x4)	
	4WD System		Part time 4WD(4x4)	
	Gear Ratio (High Range)		1	
Gear Ratio (Low Range)		2.02		
Frontont Final Drive Type		R180		
Rear Final Drive Type		C200		
Gear Ratio		3.700		
Remarks		15N		

## NP300 CO2 & Economy data

<b>Cab Axle</b>		<b>SC 4 x 2</b>	<b>SC 4 x 4</b>	<b>KC 4 x 4</b>	<b>DC 4 x 4</b>
<b>Fuel consumption - l/km</b>	Urban driving cycle (l/100Km)	8.8	10.4	10.4	10.4
	Extra urban driving cycle (l/100Km)	6.5	8.4	8.4	8.5
	Combined (urban+extra) - (l/100Km)	7.3	9.1	9.1	9.2
<b>CO2 emission</b>	Combined (urban+extra) - (g/Km)	193	241	241	242

<b>Cab Axle</b>		<b>SC 4 x 2</b>	<b>SC 4 x 4</b>	<b>KC 4 x 4</b>	<b>DC 4 x 4</b>
<b>Fuel consumption - mpg</b>	Urban driving cycle (mpg)	32.1	27.2	27.2	27.2
	Extra urban driving cycle (mpg)	43.5	33.6	33.6	33.2
	Combined (urban+extra) - (mpg)	38.7	31.0	31.0	30.7
<b>CO2 emission</b>	Combined (urban+extra) - (g/Km)	193	241	241	242

## Colours

<b>Body Colour</b>		<b>Code</b>
Alabaster White	Solid	QM1
Pacific Blue	Solid	BY5
Kuro Black	Solid	KH3
Chilli Pepper	Solid	AX6
Blade Silver	Metallic	KY0
Shiraz	Metallic	AY4
Aruba Blue	Metallic	BW6
Amazon Green	Metallic	DW0

<b>Upholstery</b>	
Single cab	Grey cloth
King cab	Dark cloth
Double cab	Dark cloth

## **INSURANCE GROUPS**

<b>Engine</b>	<b>Model</b>	<b>Group</b>	<b>Thatcham rating</b>
2.5dCi	4x2 single cab	10A	T2
	4x4 single cab	10A	T2
	4x4 king cab	10A	T2
	4x4 double cab	11A	T2

## NISSAN NP300 PRICING

ENGINE	CAB	Drive	PAYLOAD (kg)	TRANSMISSION	BASIC DELIVERED	VED + FRF	BASIC OTR
2.5 dCi	Single cab	4 x 2	1,120	5 Spd Manual	11,395	235	11,630
2.5 dCi	Single cab	4 x 4	1,135	5 Spd Manual	13,395	235	13,630
2.5 dCi	Single cab Tipper	4 x 4	TBC	5 Spd Manual	15,995	235	16,230
2.5 dCi	King cab	4 x 4	1,115	5 Spd Manual	13,795	235	14,030
2.5 dCi	Double cab	4 x 4	1,080	5 Spd Manual	14,795	235	15,030

Available Summer 2008 TBC

Available Summer 2008

The Basic Delivered prices excludes VAT but includes delivery to the dealership and number plates. The Basic On The Road price excludes VAT but includes delivery to the dealership, number plates, 12 months Vehicle Excise Duty (£180) and Government First Registration Fee of £55

### NP300 OPTIONS

Option			SC	KC	DC	Basic
Metallic paint or black paint			•	•	•	275
Rear bumper step				•		100
<b>Option Packs</b>						
Comfort Pack			•	•	•	550
- Manual Air Conditioning						
- Power / heated mirrors						

## NP300: Changes versus previous D22 Pickup:

Feature	4 x 2 SC		4 x 4 SC		4 x 4 KC		4 x 4 DC	
	Old	New	Old	New	Old	New	Old	New
Euro 4 engine	N	Y	N	Y	N	Y	N	Y
Passenger Airbag	N	Y	N	Y	N	Y	N	Y
CD player (vs cassette)	N	Y	N	Y	N	Y	N	Y
Power windows	N	Y	N	Y	N	Y	N	Y
ABS	N	Y	Y	Y	Y	Y	Y	Y
Front fog lamps	N	N	N	Y	N	Y	N	Y
Keyless entry	N	Y	N	Y	N	Y	Y	Y
Wheels size	15"	14"	16"	16"	16"	16"	16"	16"
Optional AC & power/heated mirrors	N	Y	N	Y	N	Y	N	Y
Rear jump seats (KC)	-	-	-	-	Y	N	-	-
Loadbed extended by 90mms (DC)	-	-	-	-	-	-	N	Y

<b>Insurance group</b>	<b>10</b>	<b>10</b>	<b>11</b>	<b>10</b>	<b>11</b>	<b>10</b>	<b>11</b>	<b>11</b>
------------------------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------

<b>Service interval</b>	<b>12K</b>	<b>18K</b>	<b>6K</b>	<b>18K</b>	<b>6K</b>	<b>18K</b>	<b>6K</b>	<b>18K</b>
-------------------------	------------	------------	-----------	------------	-----------	------------	-----------	------------

Y = Yes

N - No