



SHIFT_ is an English word from a Japanese car company that best embraces our values and the mission of this corporation. No matter where you are in the world, SHIFT_ is the way we express who we are, how we work and what we are trying to accomplish. Everything we touch, we SHIFT_. And everything we SHIFT_ we try to make better and uniquely Nissan.

Visit our websites at:
www.nissan.co.uk
www.nissan-lcv.co.uk

Dealer stamp:



SHIFT_the way you move

Every effort has been made to ensure that the content of this publication is correct at the time of going to press (November 2009). Vehicle shown with accessory wheel covers. In accordance with the company's policy of continuously improving its products, Nissan Europe reserves the right to change at any time the specification and the vehicles described and shown in this publication. Nissan dealers will be informed of any such modifications as quickly as possible. Please check with your local Nissan dealer to receive the most up-to-date information. All rights reserved. Reproduction in whole or part of this brochure without the written permission of Nissan Europe is forbidden.

Part Number 99999-53107. Printed in the UK.



NISSAN NV200 VAN
TECHNICAL SPECIFICATIONS





NV200 GRADES

The segment breaking NV200 offers big van capabilities within a compact van footprint and it really has the potential to shake up the market. It is a class leader in terms of load length, volume and low floor height and despite its amazing load capability the driver is not forgotten –a spacious comfortable cabin with plenty of storage and an ‘SUV style’ high driving position giving superb visibility and easy ingress and egress.

E GRADE

SAFETY AND SECURITY

- ABS + EBD
- Driver airbag
- Immobiliser
- Remote central locking
- Superlocking
- Shielded door locks

COMFORT AND CONVENIENCE

- CD/FM audio with 2 speakers
- MP3 aux jack
- Manual front windows
- Steering rake adjustment
- 13 Cabin storage areas
- Fold flat passenger seat back
- Under-seat storage
- Trip computer

CARGO AREA

- 1/3 Tubular bulkhead
- Twin rear loading doors
- Twin sliding side doors

STYLING

- Black bumpers & mirrors

OPTIONS

- Metallic paint

SE GRADE

FEATURES ADDITIONAL TO E GRADE

CARGO AREA

- Full steel bulkhead
- Cargo floor covering

COMFORT AND CONVENIENCE

- Front electric windows
- Electric mirrors

OPTIONS

- Metallic paint
- Air conditioning
- Versatility pack
 - Folding mesh bulkhead used in conjunction with the folding passenger seat
- Rear glazed doors with wash wipe
- Safety pack with air conditioner, ESP, passenger and side airbags

NV200

Body	VAN		
Grade	E	SE	
Engine	K9K 85 1.5 dCi		
Seats	2		
ENGINE			
No. of Cylinders	4		
Valves per Cylinder	2		
Engine Capacity	cm3	1461	
Bore x Stroke	mm	76.0 x 80.5	
Maximum Engine Power	hp	85 (63kw)	
	rpm	3750	
Maximum Torque	Nm	200	
	rpm	2000	
Compression Ratio	18.8		
Fuel Type	diesel		
Fuel Supply	commonrail direct injection		
Battery 12v	Ah	62	
Alternator	Amps	110	110/150*

* with air conditioner

DRIVE TRAIN			
Clutch type	Dry plate, mechanical		
Gearbox * Speed (Km/h) per 1000 rpm	Type	5 Speed Manual	
No. Speeds	5		
Gearbox performances	1st*	3727	
	2nd*	2048	
	3rd*	1321	
	4th*	0.971	
	5th*	0.738	
* Speed (Km/h) per 1000 rpm	Rev	3.545	
Final drive ratio	3.867		
Driven Wheels	Front		

CHASSIS			
Suspension	Front	Strut	
	Rear	Leaf rigid	
Steering	Electric Power assisted rack & pinion		
Breaking System (option)	Disc front, drum rear, ABS, EBD and brake assist		
Wheel Size	14x5.5J		
Tyre Size	Std	175/70R14C Offset 45 P.C.D 114.3x4H Steel Wheel	
	Optional	175/70R14C Offset 45 P.C.D 114.3x4H Alloy Wheel	

PERFORMANCE			
Maximum Speed	Mph	98	
Min. Turning Circle (Wall to Wall)	m	11.1	
Min. Turning Circle (Kerb to Kerb)	m	10.6	

Body	VAN		
Grade	E	SE	
Engine	K9K 85 1.5 dCi		
Seats	2		
WEIGHTS			
Gross Vehicle Weight	Kg	2000	
Kerb Weight	Min	Kg	1248
Maximum Payload	Kg	752	
Gross Axle Weight	Front	Kg	951
	Rear	Kg	1049
Max. Trailer Cap.	Broken	Kg	1100
	Unbroken	Kg	640

OVERALL DIMENSIONS			
Length	mm	4400	
Width with mirrors	mm	2011	
Width w/o mirrors	mm	1695	
Height (Unladen)	mm	1860	
Wheelbase	mm	2725	
Overhang	Front	mm	835
	Rear	mm	840
Track	Front	mm	1490
	Rear	mm	1510
Ground Clearance (unladen)	mm	158	

LUGGAGE / CARGO AREA DIMENSIONS			
Maximum Length	mm	2040	
Maximum Width	mm	1500	
Maximum Height	mm	1358	
Minimum Width between the Wheelarches	mm	1220	
Load Platform Height (Unladen)	mm	524	
Cargo Volume (Max Cube)	m3	4.2	
Side Door	Width	mm	693
	Height	mm	1171
Back Door	Width	mm	1262
	Height	mm	1228

FUEL TANK			
Fuel tank capacity	l.	55	

FUEL CONSUMPTION & EMISSIONS			
Fuel Consumption	Urban Cycle	l/100 Km / MPG	5.7 / 49.6
EEC 00/100	Extra-Urban	l/100 Km / MPG	4.9 / 57.6
	Combined	l/100 Km / MPG	5.2 / 54.3
CO2 mas Emission (Combined)	g/Km.	137	

* According Directive 80/1268/CEE CEE; Last amendment 2004/3/CE

